



“It’s not a fire truck unless it’s got a *Q-Siren*®!”



There is no mistaking the **iconic sound** of the *Federal Signal Q-Siren*®.

Introduced in 1951, its unmistakable tone quickly became a defining sound of the American fire service — signaling urgency long before a fire truck came into view. Its polished chrome housing reflected the craftsmanship of mid-century apparatus builders, preserving a sense of pride and tradition. For generations of firefighters, the Q-Siren has been more than equipment—it has been a symbol of service, heritage, and the enduring spirit of the firehouse.

We continue to bring that same unmatched craftsmanship to every Q-Siren, honoring the dedicated professionals who serve our communities.



In 2026, each Q-Siren will feature an exclusive etching commemorating **75 years of safety**.

2645 Federal Signal Drive
University Park, IL 60484
(708) 534-3400

www.fedsig.com



Chevrolet®, Chrysler®, Dodge®, Durastar®, Ford®, General Motors®, Jeep®, Nissan®, RAM®, and Toyota® are registered trademarks of their respective owners and are displayed only to show fit and compatibility, not as indicators of source, origin, endorsement, sponsorship, or affiliation.

Littlite and Opticom are trademarks of its respective owner.

All others indicated are trademarks of Federal Signal Corporation.

©2025 Federal Signal Corporation. All rights reserved worldwide.

M131 | 0126

Customer Support
(800) 264-3578
policefireorders@fedsig.com

Service Department
(800) 433-9132
empserviceinfo@fedsig.com



Lights & Sirens

2026 Catalog



M131 EFFECTIVE JANUARY 2026

**Safety in
this moment.**
That’s Federal Signal Strength.



www.fedsig.com

RISK REDUCTION IN EMERGENCY RESPONSE



How Emergency Vehicle Warning Lights and Sirens Reduce the Risk of Accidents

When every second counts, first responders face significant risks—to their own safety and to the public's. Emergency vehicle warning lights and sirens deliver clear, visual, and audible warning signals that help drivers and pedestrians detect, recognize, and respond.

It is all about safety in the moment—reducing accidents and making emergency responses safer.

WHAT ARE THE RISKS?

Risks to first responders and the public during an emergency response include:

- Physical Risks**
Risks of injury or death due to vehicle accidents or delayed response
- Financial Implications**
Increased property damage when emergency vehicles are delayed, increased insurance premiums, and downtime for out-of-service emergency vehicles.
- Legal Exposure**
Potential for lawsuits and liability for municipalities and departments.

4 ELEMENTS OF RISK REDUCTION

An understanding of the factors associated with an effective vehicular emergency warning system can minimize risks.



Awareness of Human Factors
Humans process signals in three phases: detection, recognition, and response.

Proper Installation, Operation, and Maintenance
Ensuring the right system is installed, operated, and maintained for optimal safety.

Suitably Engineered Equipment
Choose and specify the products and technologies designed and best suited for your vehicle's specific vocation or application.

Knowledge of Industry Standards
Become familiar with the organizations that have established minimum performance standards for emergency warning devices.

HUMANS PROCESS SIGNALS IN THREE PHASES



Safety in this moment.
That's Federal Signal Strength.

Contact your Federal Signal Sales Representative today to learn how our solutions help your fleet reduce risk and save lives.
pssinsidesales@fedsig.com
www.fedsig.com/fire

M097 | 10/2025



EXCLUSIVE TECHNOLOGIES TO KEEP YOUR COMMUNITY SAFE. THAT'S FEDERAL SIGNAL STRENGTH.™

- FS CONVERGENCE NETWORK** enables true plug-and-play installation and programming.
- FSLINK**® is an embedded software technology that utilizes a shared set of flash patterns and a common five-conductor cable to flash the patterns of Federal Signal's mini-light bars, beacons, and warning devices simultaneously or alternately.
- FSJOIN**® is a programming feature designed to enhance customization across Federal Signal's visual and audible vehicle warning products.
- HOTFOOT**® lighted mounting feet accommodate LED takedown and alley lights.
- SPECTRALUX**® multicolor LED technology provides the ability for a single light head to change color while in operation.
- ROC (RELIABLE ONBOARD CIRCUITRY.™)** technology eliminates approximately 85% of connection failure points found in a typical light bar.
- RUMBLER**® Ideal for dense urban environments, Rumbler® is a low-frequency siren that works simultaneously with a primary siren tone to penetrate solid material, allowing vehicle operators and nearby pedestrians to feel the sound waves.
- SLR (SOLARIS® LED ROTATOR)** maximizes the LED light source for full light coverage. SLR rotators provide rotating, oscillating, flashing, and flood light functionality.
- SOLARIS® LED** reflector technology maximizes optical efficiency and provides superior off-axis warning.
- V-SHAPE**® light bar is mechanically designed to have a non-linear shape (V-Shape), providing an advantage in terms of off-axis warning performance compared to light bars with a traditional linear shape.
- Q-SIREN**® The sound of the Q-Siren® is a registered trademark of Federal Signal Corporation, and it provides a distinct, recognizable long-distance warning.

www.fedsig.com 800.264.3578

Light Bar Feature Comparison

	NAVIGATOR®	VISION® SLR	ALLEGIANT® MAX SERIAL	ALLEGIANT® MAX DISCRETE	VALOR®	INTEGRITY®	RELIANT® S2
Solaris® LED Reflector Technology	•	•	•	•	•	•	•
SpectraLux® Multicolor LED	•	•	•	•	•	•	•
ROC (Reliable Onboard Circuitry™)			•	•	•	•	•
FS Convergence Network	•	•	•		•	•	•
FSJoin®			•	•	•	•	•
SLR (Solaris® LED Rotator)	•	•					
HotFoot®*					•		
Available lengths (inches)	10, 18, 25, 45, 53, 60, 73, 87	46, 53, 60	45, 53, 61, 70, 80	45, 53, 61, 70, 80, 94	44, 51	44, 51	48
Non-Linear / V-Shape®		•			•		
Low-profile			•	•	•	•	•
Dual-Color Capability	•	•	•	•	•	•	•
Tri-Color Capability		•	•	•	•	•	•
LED Colors	A B G R W	A B G R W	A B G R W	A B G R W	A B G R W	A B G R W	A B G R W
Dome Colors	A B C R	A B C G R	A B B C G R	A B B C G R	C	C	B C R
LED Takedown and Alleys	•	•	•	•	•	•	•
LED SignalMaster™	•	•	•	•	•	•	•
Flood Lighting	•	•	•	•	•	•	•
Low-Power (Dim)	•	•	•	•	•	•	•
Online Configurator	•	•	•	•	•	•	•
Warranty (years)	5	5	5	5	5	5	5

* HotFoot is available for use only with standard hook mounts

LIMITED WARRANTY— Schedule of Products

Effective January 19, 2026

Federal Signal Corporation – Public Safety Systems Division (Police, Fire/EMS, Work Truck)

	Warranty Period for Parts replacement from the date of manufacture stamped on the product	Warranty period for Factory Labor from the date of delivery to the first user-purchaser
STANDARD WARRANTY COVERAGE		
AUDIBLE		
Speakers	2 years	1 year
Pathway™	5 years	5 years
Pathfinder®	5 years	5 years
LED PRODUCTS		
All LED (Light Emitting Diode) products unless otherwise noted	5 years	5 years
MicroPulse® LED lights (shipped prior to January 1, 2021)	3 years	3 years
MicroPulse® LED lights (shipped on or after January 1, 2021)	5 years	5 years
416300 Series (shipped prior to January 1, 2021)	3 years	3 years
416300 Series (shipped on or after January 1, 2021)	5 years	5 years
MB1 LED Message Board	3 years	3 years
Commander® Series Flex	3 years	3 years
4200S-A Perimeter Light	3 years	3 years
4200S/8200S SignalMaster™	3 years	3 years
SignalTech® Lights	3 years	3 years
ICON® Series	3 years	3 years
Renegade LED	3 years	3 years
Firebolt LED Class 3	3 years	3 years
OTHER PRODUCTS		
Littlite® Map lights	5-year warranty on LED components Limited lifetime warranty on mechanical components	5-year warranty on LED components Limited lifetime warranty on mechanical components
Reverse Camera Systems	2 years	2 years
Stinger Spike Systems	5 years	5 years
DFC Series Push Bumper	3 years	3 years
FSLink® Programmer	1 year	1 year
Atkinson Dynamics® Intercoms	2 years	1 year
Switch Boxes SW200, SW300, SW400SS	3 years	3 years
Mounting Bar	3 years	3 years
Littlite Platform Series	3 years	3 years
Convergence Network Controllers & Relay Modules	3 years	3 years
FSDirect™ Control Module	5 years	5 years
Backup Alarms	3 years	3 years
Mounts, brackets, all other products not specifically listed below	3 years	3 years

NOTE: Domes, lenses, lamps, and batteries are NOT covered under warranty.


Allegiant® Max Serial

- Low-profile, linear light bar
- Available in 45", 53", 61", 70", and 80" lengths
- Single-, dual-, and tri-color capability
- Integrated sync capability
- Built-in SignalMaster™ directional warning
- Left-flood, right-flood, full-flood, takedowns, alley lights, alley ground lights, and S/T/T available
- Low-power mode
- (30) flash patterns
- 12 Vdc
- Easy service while installed on the roof top



LED COLOR OPTIONS

MODEL	LENGTH	WARNING LIGHT CAPABILITY	FLOOD LIGHTS	TD/ALLEY LIGHTS	AMBER SIGNALMASTER	DOMES COLOR	MOUNT	INTEGRATED SYNC	ALLEY GROUND LIGHTS
ALGT45JX-F1LR	45-inch	Amber/Red/White	•	•	•	Red	Low Hook	•	•
ALGT45JX-F2LC	45-inch	Green/Red/White	•	•	•	Clear	Low Hook	•	•
ALGT45JX-F3LC	45-inch	Amber/Blue/White	•	•	•	Clear	Low Hook	•	•
ALGT45JX-F4LC	45-inch	Amber/Blue/Red/White	•	•	•	Clear	Low Hook	•	•
ALGT53JX-F1LR	53-inch	Amber/Red/White	•	•	•	Red	Low Hook	•	•
ALGT53JX-F2LC	53-inch	Green/Red/White	•	•	•	Clear	Low Hook	•	•
ALGT53JX-F3LC	53-inch	Amber/Blue/White	•	•	•	Clear	Low Hook	•	•
ALGT53JX-F4LC	53-inch	Amber/Blue/Red/White	•	•	•	Clear	Low Hook	•	•



ALGT45JX-F1LR




ALGT45JX-F3LC




ALGT45JX-F2LC




ALGT45JX-F4LC




ALGT53JX-F1LR



ALGT53JX-F2LC



ALGT53JX-F3LC



ALGT53JX-F4LC

Commander® 3" Compartment Light

- Standard 3" round surface mount compartment lights with an aluminum base
- Surface mount alleviates the need to do full body cutouts
- Low-profile design allows for versatile mounting options
- All models include bolt or adhesive mount for added flexibility in mounting
- Dual-color compartment lights allow for separate control of colors
- Red LED compartment lights are ideal for improved nighttime vision in compartments
- Chrome flange and rubber grommet available



MODEL	DESCRIPTION
COM3SWC	Single-color, (6) White LEDs, Clear lens
COM3SRWC	Dual-color, (3) White LEDs, (3) Red LEDs, Clear lens

ACCESSORIES AND KITS

COM3FLANGEC	3-inch round chrome flange for COM3 lights
COM3GROMMET	Kit, Grommet for COM3 lights

Commander® 5" LED Interior Light

- Low-profile, surface mount, interior dome or compartment light
- Cool White LEDs
- 12 Vdc
- Durable polycarbonate housing and sealed lens



MODEL	DESCRIPTION
COMINT5-W	5-inch, White LEDs, 380 Lumen

Effective January 19, 2026

Commander® 8" LED Interior Light

- Direct replacement for 8-inch halogen or incandescent lamps utilizing standard industry hole patterns and cutout dimensions
- Models available with chrome or white housings, including snap-in models
- Hi-Lo intensity inputs



GSA MKK-A-182F

WARRANTY 5 YEARS

MODEL	DESCRIPTION
COM8PTC	(18) LEDs, White, diffusing lens, Chrome housing

Commander® Flex Light

- Ultra-thin, flexible strip lights to illuminate compartment spaces
- Cool White LEDs
- Multi-voltage, 12/24 Vdc
- 3M™ acrylic foam tape on back for easy installation; mounting clips and screws included



IP67

WARRANTY 3 YEARS

MODEL	DESCRIPTION
COMFLEX-9	9-inch, flexible compartment strip light, White LED
COMFLEX-18	18-inch, flexible compartment strip light, White LED
COMFLEX-27	27-inch, flexible compartment strip light, White LED
COMFLEX-36	36-inch, flexible compartment strip light, White LED
COMFLEX-45	45-inch, flexible compartment strip light, White LED
COMFLEX-54	54-inch, flexible compartment strip light, White LED
COMFLEX-63	63-inch, flexible compartment strip light, White LED



Effective January 19, 2026


Allegiant® Max Discrete

- Low-profile, linear light bar
- Available in 45", 53", 61", 70", 80", and 94" lengths
- Single-, dual-, and tri-color capability (except 94")
- Front-flood, takedowns, alley lights, alley ground lights, and S/T/T available
- Low-power mode
- (30) flash patterns
- 12 Vdc
- Easy service while installed on the roof top




LED COLOR OPTIONS


MODEL	LENGTH	WARNING LIGHT CAPABILITY	FLOOD LIGHTS	TD/ALLEY LIGHTS	DOME COLOR	MOUNT
ALGT53XC-NFPA2	53-inch	Red/White		•	Clear	Permanent
ALGT61XC-NFPA2	61-inch	Red/White		•	Clear	Permanent
ALGT61XC-NFPA1	61-inch	Red/White	•		Red	Permanent
ALGT70XC-NFPA2	70-inch	Red/White		•	Clear	Flat




ALGT53XC-NFPA2



ALGT61XC-NFPA2



ALGT61XC-NFPA1



ALGT70XC-NFPA2



Effective January 19, 2026

Reliant® S2



- Ultra low-profile, linear light bar
- Available in 48" length
- Single-, dual-, and tri-color capability
- Left-flood, right-flood, full-flood, takedowns, alley lights, and S/T/T available
- Low-power mode
- (28) flash patterns
- 12 Vdc
- Built-in SignalMaster™ directional warning












MODEL	LENGTH	WARNING LIGHT CAPABILITY	DOMES COLORS	TD/ALLEY LIGHTS	FLOOD LIGHTS	AMBER SIGNALMASTER	MOUNT
RLNT48J-01CC	48-inch	Red/Blue/White	Clear	•	•	•	Low Hook
RLNT48J-01RR	48-inch	Red/Blue/White	Red	•	•	•	Low Hook
RLNT48J-02CC	48-inch	Red/Blue/White	Clear	•	•	•	Low Hook
RLNT48J-02RR	48-inch	Red/Blue/White	Red	•	•	•	Low Hook




RLNT48J-01RR



RLNT48J-02RR



RLNT48J-01CC



RLNT48J-02CC

Effective January 19, 2026

SLR Beacon



262650-02

- Unique beacon with rotating LED reflector
- Single-color models
- (3) rotating speeds: 75/90/120 RPM
- Multi-voltage, 12/24 Vdc
- Built-in permanent 1" pipe mount aluminum diecast base







MODEL	DESCRIPTION
262650-02	Amber LEDs, Amber dome
262650-04	Red LEDs, Red dome
262650-05	White LEDs, Clear dome
262650-25	Amber LEDs, Clear dome

IVP SLR

- Rotating beacon design complementing the Vision® SLR family of light bars
- Single-color models
- Multi-voltage, 12/24 Vdc



VSLR1-R1A02








MODEL	DESCRIPTION
VSLR1-R1	Red LEDs, Red dome
VSLR1-R2	Red LEDs, Clear dome
VSLR1-A1	Amber LEDs, Amber dome
VSLR1-A2	Amber LEDs, Clear dome
VSLR1-G1	Green LEDs, Green dome
VSLR1-G2	Green LEDs, Clear dome
VSLR1-B1	Blue LEDs, Blue dome
VSLR1-B2	Blue LEDs, Clear dome

Effective January 19, 2026

Pro LED Beacon

- Versatile warning beacon for a variety of applications
- Short and tall domes available
- Single- and dual-color models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Built-in permanent/1" pipe mount aluminum diecast base



300TMPC-R-SB

SINGLE- AND DUAL-COLOR LED OPTIONS

MODEL	DESCRIPTION
300TMP-A-SB	Single-color, Amber LEDs, Tall Amber dome
300TMP-B-SB	Single-color, Blue LEDs, Tall Blue dome
300TMP-R-SB	Single-color, Red LEDs, Tall Red dome
300TMPC-A-SB	Single-color, Amber LEDs, Tall Clear dome
300TMPC-B-SB	Single-color, Blue LEDs, Tall Clear dome
300TMPC-G-SB	Single-color, Green LEDs, Tall Clear dome
300TMPC-R-SB	Single-color, Red LEDs, Tall Clear dome
320TMP-AB-SB	Dual-color, Amber/Blue LEDs, Tall Clear dome
320TMP-AG-SB	Dual-color, Amber/Green LEDs, Tall Clear dome
320TMP-AW-SB	Dual-color, Amber/White LEDs, Tall Clear dome
ACCESSORY	
300B-TALL	Branch guard, tall dome
300BKT-LB	L-bracket



300B-TALL

Effective January 19, 2026

For the most up-to-date hook mount information, visit www.fedsig.com/hook-mount-reference-guide.


MAKE/MODEL	YEAR	HOOK KIT MODEL #	ROOF WIDTH	CAB STYLE
Ford				
Bronco Sport	2021-25	HKB-BCS21	N/A	
E-Series Van/Cutaway	1975-2026	HKB-SAV	65.0"	
Edge	2015-24	HKB-UNH4	51.8"	
Escape (No Roof Rack Rails)	2020-26	HKB-ESC20	45.0"	
Expedition (No Roof Rack) light bar lengths 51, 53-in	2018-26	HKB-EXD22	55.5"	
F-150 Responder light bar lengths 44, 45, 46, 48-in	2015-26	HKB-FRD15-44-HP	55.5"	All
F-150 Responder light bar lengths 51, 53-in with standard height foot	2015-26	HKB-FRD15-HP	55.5"	All
F-150 Responder light bar lengths 51, 53-in with low-profile foot	2015-26	HKB-FRD15-44-HP	55.5"	All
F-150 light bar lengths 44, 45, 46, 48-in	2015-26	HKB-UNH6	55.5"	All
F-150 light bar lengths 51, 53-in with standard height foot	2015-26	HKB-UNH5	55.5"	All
F-150 light bar lengths 51, 53-in with low-profile foot	2015-26	HKB-UNH6	55.5"	All
F-250/350/450/550 All light bar lengths	2017-26	HKB-UNH6	55.5"	All
F-650/750 light bar lengths 51, 53, 60-in	2017-26	HKB-FHD7	58.5"	All
Maverick	2022-26	HKB-MAV22	50.5"	
Mustang Mach-E (Without Panoramic roof opt.)	2021-26	HKB-MME21	N/A	
Mustang	2012-26	Permanent Mount	46.0"	
Police Interceptor Utility/Explorer light bar lengths 44, 45, 46-in (No Rack)	2020-26	HKB-FPIU20-HP	52.8"	Valor/Vision w/std foot
	2020-26	HKB-FPIU20-LONG-HP	52.8"	
Police Interceptor Utility/Explorer light bar lengths 48, 51, 53-in (No Rack)	2020-26	HKB-FPIU20-HP	52.8"	
Police Interceptor Utility/Explorer light bar length 44-in	2020-2026	HKB-FPIU20-44-HP	52.8"	Valor with low-profile foot
Ranger	2019-23	HKB-RNG19	48.0"	Super
	2024-26	HKB-RNGR24	46.7"	
Transit (Low Roof) 60-in light bars only	2015-26	HKB-UNH4	N/A	
Transit (Raised Roof)	2015-26	Permanent Mount	67.5"	
Chevrolet/GM				
Blazer EV	2024-25	HKB-BLZR24	53.0"	
Camaro	2011-23	Permanent Mount	50.0"	
Colorado/Canyon	2015-24	HKB-COL15	47.3"	All
Express/Savana Van	2001-26	HKB-SAV	61.0"	
Malibu	2012-23	HKB-UNH1	48.0"	
Silverado/Sierra (1500) light bar lengths 44, 45, 46-in	2019-26	HKB-UNH3	52.0"	All
	2014-18	HKB-UNH4	55.8"	
Silverado PPV light bar lengths 44, 45, 46-in	2022-26	HKB-TAH21-44-HP	52.0"	All
Silverado/Sierra (1500) light bar lengths 51, 53-in	2019-26	HKB-UNH2	52.0"	All
	2014-18	HKB-SIL17	55.8"	
Silverado PPV light bar lengths 51, 53-in	2022-26	HKB-TAH21-HP	52.0"	All
Silverado/Sierra (2500, 3500) light bar lengths 44, 45, 46-in	2019-26	HKB-UNH2	55.0"	All

MAKE/MODEL	YEAR	HOOK KIT MODEL #	ROOF WIDTH	CAB STYLE
Silverado/Sierra (2500, 3500) light bar lengths 51, 53-in	2019-26	HKB-UNH3	55.0"	All
Tahoe/Suburban (No Roof Rails) light bar lengths 44, 45, 46, and 48-in	2021-26	HKB-TAH21-44-HP	55.0"	
	2015-20	HKB-UNH4	55.0"	
Tahoe/Suburban (No Roof Rails) light bar lengths 51, 53-in	2021-26	HKB-TAH21-HP	55.0"	
	2015-20	HKB-LPCHGR11-HP	55.0"	
Traverse (No rack)	2018-23	HKB-TRAV22	53.0"	
Chrysler/Dodge/Jeep				
Challenger	2012-23	Permanent Mount	54.5"	
Charger	2011-23	HKB-LPCHGR11-HP	50.3"	
Durango (No Roof Rack)	2011-26	HKB-DUR11B-HP	54.0"	
Grand Cherokee (No Roof Rack)	2011-20	HKB-DUR11B-HP	54.0"	
RAM 1500	2019-26 (5th Gen)	HKB-RAM19	55.0"	All
RAM 1500 SSV	2025-26	HKB-RAM19	55.0"	All
RAM 1500 Classic/SSV	2019-24 (4th Gen)	HKB-FRD9	57.5"	
RAM 2500, 3500, 4500	2010-26	HKB-FRD9	57.5"	
Wrangler	2012-26	Permanent Mount	N/A	
Toyota				
RAV4 (with Roof Rails)	2025	HKB-RAV25RR	43.0"	
RAV4 (No Roof Rails)	2023-24	HKB-RAV23	43.0"	
RAV4	2018-22	HKB-UNH1	N/A	
4-Runner	2022-24	HKB-DUR11B-HP	53.0"	
Tacoma	2016-23	HKB-UNH1	N/A	
	2024-25	HKB-TAC24	N/A	
Tundra	2022-24	HKB-RAM19	N/A	
Nissan				
Frontier	2022-23	HKB-FNTR	53.0"	
Leaf	2015-23	HKB-UNH1	N/A	
Rogue (No Roof Rails)	2021-25	HKN-ROG23	51.0"	
Titan	2023-24	HKB-TTN23	58.0"	
International				
Durastar/4300 cab	2002-18	HKB-FHD7	65.8"	

All Federal Signal light bars may be permanent or hook-on mounted. When using a hook-on mount, a separate hook kit is required for the make, model and year of your vehicle. Use the hook kit reference guide to find your vehicle's appropriate hook kit. Measurements for the roof width are determined by the style of the vehicle. These measurements may help you in choosing the light bar length best suited for your vehicle.

Transfer of Light Bars From One Vehicle to Another
From time to time, departments will remove a light bar from an older vehicle and reinstall it on a newer vehicle. Before performing this kind of transition, be sure to contact our Service Department to ensure that you not only have the proper hook kit, but that you also have the latest design light bar mount foot. Mounting foot designs continuously improve over time, and it is recommended that you utilize the most current mount foot design when reinstalling an older light bar on a newer vehicle.

Note
The hook kit reference guide is updated on an ongoing basis as information becomes available. Please check the hook kit reference guide online at www.fedsig.com/hook-mount-reference-guide for up-to-date vehicle and hook kit listings.



Siren Feature Comparison

	PATHFINDER® PF400	PATHFINDER® PF200	PATHWAY™	PA300	PA300-100	PA4000
Total Output Wattage	400 W	200 W	100 W	200 W	100 W	200 W
FS Convergence Network	•	•	•		•	•
FSJoin®	•	•	•			•
Air Horn	•	•	•	•	•	•
PA (Public Address)	•	•	•	•	•	•
Siren Tones	•	•	•	•	•	•
Remote Control Head	•*	•*	•*			•
Slide Switch	•*	•*	•*			
Lighting Control	•	•	•		•†	•
SignalMaster™ Control	•	•	•			•
Microphone	•	•	•	•	•	•
Built-in Timer Feature	•	•	•		•	•
Programmable Inputs & Outputs	•	•	•		•**	•
Load Management	•	•	•			•
FS Vehicle Integration/OBD Integration	•	•				•
Integrated Dual-Tone	•	•				•
Integrated Rumbler® Traffic-Clearing Capability	•	•				•
Rotary Switch	•*	•*	•*	•	•	•
Warranty (years)	5	5	5	3	5	5

* Select Models

** Inputs only

† Through Convergence Network ports only

Latitude™ SignalMaster™



- Directional warning stick light
- Available in 24", 32", and 48" lengths
- Single-color models
- 6- or 8-head models
- Left, right, and center-out directional signals; (1) flash pattern
- 12 Vdc
- SignalMaster economy controller included
- Wide range of external and internal mounting applications

SINGLE-COLOR LED OPTION

MODEL	DESCRIPTION
6-Head SignalMaster Model	
SL6S-A	24-inch, (6) Amber light heads, SignalMaster™ economy controller, 30-ft cable
8-Head SignalMaster Models	
SL8S-A	32-inch, (8) Amber light heads, SignalMaster™ economy controller
SL8S-A-50	32-inch, (8) Amber light heads, SignalMaster™ economy controller, 50-ft cable
SL8S-A48	48-inch, (8) Amber light heads, SignalMaster™ economy controller
SL8S-A48-50	48-inch, (8) Amber light heads, SignalMaster™ economy controller, 50-ft cable

Note

- SignalMaster brackets on page 62

QuadraFlare® SignalMaster

- Directional warning stick light
- Available in 47" and 72" lengths
- Single-color models
- 6- or 8-head models
- Left, right, center-out directional signals
- 12 Vdc
- Controller required, purchased separately

SINGLE-COLOR LED OPTIONS

MODEL	DESCRIPTION
QL64SM47-6AC	47-inch, (6) Amber light heads, Clear lens, 30-ft cable
QL64SM72-8AC	72-inch, (8) Amber light heads, Clear lens, 30-ft cable

Note

- SignalMaster brackets on page 62

Latitude™


- Warning stick light
- Single-color
- 4-, 6-, and 8-head models
- (10) flash patterns
- 12 Vdc
- Wide range of external and internal mounting applications




Solaris. ROC. SINGLE-COLOR LED OPTIONS: CCR TITLE 13 5 YEARS WARRANTY

MODEL	DESCRIPTION	MODEL	DESCRIPTION
4-Head Flashing Models		ACCESSORIES AND KITS	
SL4F-2R2B	(2) Red light heads, (2) Blue light heads (alternating) R-B-R-B	320310	Kit, bracket, flush mount system
SL4F-RB	(2) Red light heads, (2) Blue light heads, R-R-B-B	320320	Kit, bracket, double L-bracket
SL4F-R	(4) Red light heads, R-R-R-R	320330	Kit, bracket, system mount
SL4F-B	(4) Blue light heads, B-B-B-B	320340	Kit, bracket, multi-vehicle mount
6-Head Flashing Models		320350	Kit, bracket, foot adaptor
SL6F-RB	(3) Red light heads, (3) Blue light heads, R-R-R-B-B-B	SLB-001	Kit, Long L-bracket
SL6F-R	(6) Red light heads, R-R-R-R-R-R	SLB-002	Kit, Short L-bracket
SL6F-B	(6) Blue light heads, B-B-B-B-B-B	SLB-FRD15ND	8-head bracket, CN SignalMaster™ or Latitude, no drill, Ford F-150 2015-2025, Lightning 2022-2025, and Super Duty 2017-2025. Not for models with panoramic moon roof
SL6F-A	(6) Amber light heads, A-A-A-A-A-A, (does not include directional functions)	SLB-SIL19ND	8-head bracket, CN SignalMaster or Latitude, no drill, Chevrolet Silverado, 2019-2025
SL6FF-RW	(3) Red light heads, (3) White light heads, R-W-R-W-R-W (includes white light cut-off option)		
8-Head Flashing Models			
SL8F-RB	(4) Red light heads, (4) Blue light heads, R-R-R-R-B-B-B-B		
SL8F-R	(8) Red light heads, R-R-R-R-R-R-R-R		
SL8F-B	(8) Blue light heads, B-B-B-B-B-B-B-B		
SL8F-A	(8) Amber light heads, A-A-A-A-A-A-A-A, (does not include directional functions)		


4-HEAD CONFIGURATIONS



6-HEAD CONFIGURATIONS



8-HEAD CONFIGURATIONS



Q-Siren®



- Streamlined and polished electro-mechanical siren
- Distinct sound provides recognizable, long-distance warning
- Utilizes a unique clutch design that provides a longer coast-down sound while reducing the amperage draw
- Available in traditional Chrome or Black Chrome

Q-Siren Sound Siren tones available online 3 YEAR WARRANTY

MODEL	DESCRIPTION
Q2B-012NNSD	Q2B, mechanical siren, Chrome, recess mount
Q2B-012PSD	Q2B, mechanical siren, Chrome, pedestal mount
Q2B-NN-BLK	Q2B, mechanical siren, Black Chrome, recess mount
Q2B-P-BLK	Q2B, mechanical siren, Black Chrome, pedestal mount
KITS	
Q-MT	Kit, Q2B, bracket for recess mounting Q2B siren
Q2B-SWKIT	Kit, Q2B, Solenoid and Foot Switch
COMMON REPLACEMENT PARTS	
Z8280080B	Motor, Q2B siren
Z828000641	Clutch assembly
Z8280104B	Front grille, Q2B siren; -BC (Black Chrome)
Z8280106A	Stator guard, Q2B siren; -BC (Black Chrome)
Z8280B003J-02	Brake assembly
Z8280C077A	Mounting base, Q2B siren, polished stainless steel; -BC (Black Chrome)
ZH5205-03	Rear housing, Q2B siren, polished stainless steel; -BC (Black Chrome)



XStream®

- Versatile, low-profile interior mount, warning light
- Amber, Blue, Green, Red, and White
- Single-, dual-, or tri-color capability
- Single- or dual-head models
- (25) flash patterns and (10) color modes
- 12 Vdc
- Versatile mounting hardware included for dash/deck, headliner, and window mount applications



MODEL	DESCRIPTION
XSM1-BRA-US	Single-head, Blue/Red/Amber, Wire leads
XSM1-BRW-US	Single-head, Blue/Red/White, Wire leads
XSM1-BWA-US	Single-head, Blue/White/Amber, Wire leads
XSM1-RWA-US	Single-head, Red/White/Amber, Wire leads
XSM1-WAG-US	Single-head, White/Amber/Green, Wire leads
XSM2-BRA-US	Dual-head, Blue/Red/Amber-Blue/Red/Amber, Wire leads
XSM2-BRW-US	Dual-head, Blue/Red/White-Blue/Red/White, Wire leads
XSM2-BWA-US	Dual-head, Blue/White/Amber-Blue/White/Amber, Wire leads
XSM2-RWA-US	Dual-head, Red/White/Amber-Red/White/Amber, Wire leads
XSM2-WAG-US	Dual-head, White/Amber/Green-White/Amber/Green, Wire leads
ACCESSORIES AND KITS	
XSMBKT01	Slip-on visor mount kit for use with single- or dual-head models
XSMBKT02	Adjustable, swivel mount for single- or dual-head models
XSMBKT03	Universal headliner mount bracket for single- or dual-head models
XSMBKT07	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Dodge Charger, 2011-2023
XSMBKT10	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford F-250/350/450/550 Super Duty, 2017-2025, Ford Expedition, 2018-2025, Ford Lightning, 2022-2025
XSMBKT11	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Ford Police Interceptor Utility, 2020-2025
XSMBKT12	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Dodge Durango, 2011-2026
XSMBKT13	Driver and passenger rear window mount kit for use with (1) single- or dual-head XStream, Ford Ranger, 2019-2020
XSMBKT14	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, Chevrolet Tahoe, 2021-2025
XSMBKT15	Driver and passenger visor mount kit for use with (1) single- or dual-color head XStream, with mounting holes for front and rear facing cameras, Ford Mustang, 2025
XSMBKT16	Driver and passenger visor mount kit for use with (1) single- or dual-head XStream, with mounting holes for front and rear facing cameras, RAM 1500 SSV, 2025
Z205003	Rubber extrusion




XSM2-BRW-US shown mounted in a vehicle



Each model includes light head, (2) suction cups, bail and pivot brackets, mounting hardware and three different length snap-on flash guards.

RUMBLER®, MULTI-TONE, AND PERIMETER BREACH WARNING CAPABILITIES FOR MAXIMUM RESPONSE

When responding to a call, safety is the number one priority. Pathfinder® comes through with built-in Rumbler® traffic clearing capability and Multi-tone integration to clear traffic where you need it most.



RUMBLER.

Rumbler® low frequencies deliver up to 10dB more sound pressure inside civilian vehicles near your emergency vehicle—getting attention and clearing traffic more effectively than a standard siren tone.


Sound pressure varies based on vehicle type and distance.

Low frequency tones work simultaneously with primary siren—penetrating nearby vehicles.

Particularly effective for Police and Fire/EMS applications in dense urban environments with heavy vehicle traffic.


MULTI-TONE

Multi-Tone provides a 50% increase in audible warning distance vs. a single-speaker/single-tone system creating the perception of a multi-vehicle, emergency response ideal for highway patrol.



PERIMETER BREACH WARNING

Perimeter Breach Warning provides a minimum 25-foot activation zone for audible and visual alerts, enhancing situational awareness.



Effective January 19, 2026

PA300

- Full-featured siren in a compact package
- Easy-to-operate and durable switching
- Built-in noise-canceling microphone
- Illuminated, non-glare control panel
- External PA Gain control
- Easily accessible fuse protection
- Effective TAP II intersection clearing
- Priority in place of hi-lo tone available
- 12 Vdc or 24 Vdc models available



Siren tones available online



MODEL	DESCRIPTION
690009	200 W, PA300-024MSC, hi-lo tone, hard-wired microphone, 24 Vdc
690010	200 W, PA300-012MSC, hi-lo tone, hard-wired microphone
ACCESSORIES AND KITS	
761300	Kit, PA300 Series, adapter cable harness converts to new 690000 PA300 design
MNCT-SD	Microphone, noise-canceling, PA/Radio
DSM	Kit, PA300 Series, bezel for dash mount
COMMON REPLACEMENT PARTS	
Z122377A	Switch, 690 Series, air horn
Z141A102	Knob, PA300, gain control
Z141A111	Knob, PA300, function/tone selector
Z1461360A	Wire harness, 690 Series, 4-ft length, 12 Vdc
Z8537561A	Accessory kit, connectors, bracket, hardware

PA300-100

- 100 W siren with PA and noise-canceling microphone
- Library of selectable siren tones
- (4) programmable inputs, plus dedicated inputs for park, horn, and ignition
- Convergence Network Configuration Software allows easy customization of the siren
- (2) FS Convergence Network ports
- Standard voice messages available in English, Spanish, and French Canadian to broadcast alerts; custom voice messages available for an additional fee



Convergence Network Siren tones and voice messages available online



MODEL	DESCRIPTION
PA300-100	Siren with self-contained controls, 100 W



Effective January 19, 2026

DynaFlare™ — Continued

MODEL	DESCRIPTION
4-foot Models	
DR4-RBW	(1) Red/Blue/White LEDs, Clear lens
DR4-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR4-RAW	(1) Red/Amber/White LEDs, Clear lens
DR4-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR4-AGW	(1) Amber/Green/White LEDs, Clear lens
DR4-RGW	(1) Red/Green/White LEDs, Clear lens
DR4-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
3-foot Models	
DR3-RBW	(1) Red/Blue/White LEDs, Clear lens
DR3-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR3-RAW	(1) Red/Amber/White LEDs, Clear lens
DR3-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR3-AGW	(1) Amber/Green/White LEDs, Clear lens
DR3-RGW	(1) Red/Green/White LEDs, Clear lens
DR3-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
2-foot Models	
DR2-RBW	(1) Red/Blue/White LEDs, Clear lens
DR2-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR2-RAW	(1) Red/Amber/White LEDs, Clear lens
DR2-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR2-AGW	(1) Amber/Green/White LEDs, Clear lens
DR2-RGW	(1) Red/Green/White LEDs, Clear lens
DR2-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens
1-foot Models	
DR1-RBW	(1) Red/Blue/White LEDs, Clear lens
DR1-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR1-RAW	(1) Red/Amber/White LEDs, Clear lens
DR1-RBA	(1) Red/Blue/Amber LEDs, Clear lens
DR1-AGW	(1) Amber/Green/White LEDs, Clear lens
DR1-RGW	(1) Red/Green/White LEDs, Clear lens
DR1-RBW-SMK	(1) Red/Blue/White LEDs, Smoked lens




AVAILABLE Q2 2026



Effective January 19, 2026

SIDE MIRROR



MPSMW9-TAH21MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Chevrolet Tahoe, 2021-2025



MPSMW9-SIL19MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Chevrolet Silverado 1500, 2019-2025



MPSMW9-FPIU20MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford Police Interceptor Utility, 2020-2024



MPSMW9-FPIU25MIRS

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford Police Interceptor Utility, 2025



MPSMW9-FRD21MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford F-150 (non-towing mirrors)/Lightning, 2021-2025



MPSMW9S-UNIVMIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, RAM 1500 (5TH GEN) 2023-2024, RAM 1500 Classic (4TH GEN) 2023-2024, Ford F-250/F-350 (towing mirrors) 2023-2025



MPSMW9-DUR21MIRS

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Dodge Durango, 2015-2026



MPSMW9-SHD

Shroud for (1) MPSW9 or MPSWP light, multi-vehicle applications



MPSMW9-CHGR11MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Dodge Charger, 2011-2023



MPSMW9-EXP19MIR

Pair of side mirror brackets, each bracket holds (1) MPSW9 or MPSWP light, Ford Expedition, 2019-2024

D-PILLAR



MPSM6U-BP1

Pair of B-pillar brackets, each bracket mounts (1) MPS6U light on the rear of B-pillar, Dodge Charger, 2011-2023



MPSM6U-BP2

Pair of B-pillar brackets, each bracket mounts (1) MPS6U light on the rear of B-pillar, Chevrolet Tahoe, 2021-2025 and Ford Police Interceptor Utility, 2020-2025

FOG LIGHT



MPS6U-FPIU20FOG

Pair of fog light brackets, each bracket holds (1) MPS3U/MPS6U light, Ford Police Interceptor Utility, 2020-2025

SURFACE MOUNT ANGLED BEZEL



MPSUMA12-1

40° angled bezel for (1) MPS12U light, Chrome



MPSUMA12-3

40° angled bezel for (1) MPS12U light, Black

RUNNING BOARD MOUNT



MPSM6-FRD15RB

(6) Running board brackets, each bracket holds (1) MPS6U light, Ford F-150 Responder, 2015-2025 (Includes XL and XLT trim levels with OEM running boards)



MPSM6U-FD15UPRB

(6) Upper running board brackets, each bracket holds (1) MPS6U light, Ford F-150 Responder, 2015-2025



Effective January 19, 2026

RUMBLER® BRACKETS



RBS-FPIU20ND

Single Rumbler Solo or Single Compact, no drill, passenger side bracket, Ford Police Interceptor Utility, 2020-2025



RBC-FPIU25ND

(1) Compact, no drill, passenger side bracket. Compatible with DFC Series Push Bumper lower guard, Ford Police Interceptor Utility, 2020-2025



RBC2-FPIU25ND

(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket. Compatible with DFC Series Push Bumper lower guard, Ford Police Interceptor Utility, 2020-2025



RBS-TAH21ND

Single Rumbler Solo or (1) Compact, no drill, passenger side bracket, Chevrolet Tahoe, 2021-2025 and Chevrolet Silverado 1500, 5.3L V8 only, no turbo, 2019-2025



RBC2-TAH21ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Chevrolet Tahoe, 2021-2025 and Chevrolet Silverado 1500, 5.3L V8 only, no turbo, 2019-2025



RBS-DUR23ND

Single Rumbler Solo or Single Compact, no drill, passenger side bracket, Dodge Durango, 2015-2026



RBC2-DUR23ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Dodge Durango, 2015-2026



RBC1PB-DUR21

(1) Compact, no drill, passenger side bracket. Compatible with DFC Push Bumper Series lower guard, Dodge Durango, 2015-2026



RBC2PB-DUR21

(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket. Compatible with DFC Push Bumper Series lower guard, Dodge Durango, 2015-2026



RBC1-EXP25ND

(1) Compact, no drill, passenger side bracket, Ford Expedition, 2022-2025



RBC2-EXP25ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Ford Expedition, 2022-2025



RBS-CHGR15

(1) Rumbler Solo or (1) Compact, no drill, passenger side bracket, Dodge Charger, 2015-2023



RBC2-FRD15ND

Pair of Compact speakers, no drill, (1) passenger side bracket and (1) driver side bracket, Ford F-150, 2015-2025



RBC1-RAM19ND-C15

(1) Compact, no drill, driver side bracket, RAM Classic 1500, 2019-2024



RBC2-RAM19ND-C15

(2) Compact, no drill, (1) passenger side bracket and (1) driver side bracket, RAM Classic 1500, 2019-2024



RB-UNIV

(2) universal brackets, use for (1) Solo or (1) or (2) Compact



Effective January 19, 2026

DynaMax®/ES100C

- Slim and lightweight compact 100 W speaker
- Neodymium driver delivers superior sound quality
- Weather-resistant, composite plastic housing
- Compatible with all Federal Signal electronic siren amplifiers
- Vehicle-specific mounting brackets available



MODEL	DESCRIPTION
ES100C	Speaker, DynaMax/ES100C, 100 W, high output, compact, Class A
ES100C-DEU	Speaker, DynaMax/ES100C, 100 W, high output, compact, Class A, with Deutsch connector


DynaMax/ES100C Accessories & Brackets

MODEL	TYPE OF BRACKET	VEHICLE	YEARS
MULTI-VEHICLE			
ESB-U	Bracket only — (1) ES100C		All
ESB-L	Bracket only — (1) ES100C, Multiple orientation "L" bracket		All
ESFMT-EF	Recess mount, stainless steel Electric "F" grille		All
ESBMT-SB	Bumper/surface mount		All
ESFMT-EFB	Flush mount, Black grille		All
FORD			
ESB2-FRD21ND	No drill, dual speaker bracket only — (2) ES100C, Compatible with models equipped with active air shutters and lower active air dam	F-150	2021-2025
ESB2-FRDL22ND	No drill, dual speaker bracket only - (2) ES100C	F-150 Lightning	2022-2023
ESB-FRDL22ND	No drill, bracket only - (1) ES100C	F-150 Lightning	2022-2023
ESB2-FRD15ND	No drill, dual speaker bracket only — (2) ES100C, EcoBoost models only, not compatible with active lower air dam	F-150/Responder	2015-2025
ESB-U	Multi-vehicle, (1) ES100C	F-250/350/450	2020-2025
ESBL-FPIU20	Combination bracket kit — (1) ES100C and (2) MPS lights behind grille, will not work on hybrid models	Interceptor Utility	2020-2024
ESB-FPIU20NDB	No drill, bracket only — (1) ES100C or (1) AS124, compatible with push bumpers	Interceptor Utility	2020-2024
ESB2-FPIU20NDB	No drill, dual speaker bracket only — (2) ES100C or (2) AS124, compatible with push bumpers	Interceptor Utility	2020-2024
ESBL-FPIU25	Combination bracket kit — (1) ES100C and (2) MPS lights behind grille, will not work on hybrid models	Interceptor Utility	2025
ESB-FPIU25NDB	No drill, bracket only — (1) ES100C or (1) AS124, compatible with push bumpers	Interceptor Utility	2025
ESB2-FPIU25NDB	No drill, dual speaker bracket only — (2) ES100C or (2) AS124, compatible with push bumpers	Interceptor Utility	2025
ESB-MUST24ND	No drill, bracket only - (1) ES100C, EcoBoost and GT models without Performance Package	Mustang	2024-2025
ESBL2-MUST24ND	No drill, combination bracket kit - (2) ES100C and (4) MPS6U or (4) MPS12U lights behind grille, EcoBoost and GT models with Performance Package option	Mustang	2024-2025



Effective January 19, 2026

GROMMET MOUNT



MPSM3U-RND2
4-inch round mounting plate kit for (2) MPS3U, with rubber grommet



330510*
6-inch oval mounting plate kit for (1) MPS12U, with rubber grommet (light sold separately)

DRILL-LESS MOUNT



MPSM6U-HOOD
Drill-less hood mount bracket for (1) MPS6U light



MPSM3U-RAM24DTL
Pair of drill-less taillight brackets for horizontal orientation, each bracket holds (1) MPS3U light, RAM, 2024+



MPSM3U-RAM24DTL2
Pair of drill-less taillight brackets for horizontal orientation, each bracket holds (2) MPS3U light, RAM, 2024+



MPSM3U-FRD24DTL
Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS3U light, Ford F-250/350/450, 2023+



MPSM3U-FRD24DTL2
Pair of drill-less taillight brackets for vertical orientation, each bracket holds (2) MPS3U lights, Ford F-250/350/450, 2023-2025



MPSM12U-FRD25DTL
Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS6U/MPS12U light, Ford F-150, 2023-2025; will not fit Lightning



MPSM12U-FRD25DTL2
Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS6U/MPS12U light and (1) MPS3U/MPS6U light, Ford F-150, 2023-2025; will not fit Lightning




MPSM6U-WIN
Adhesive mount for (1) MPS6U light. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM6U-WIN2
Dual adhesive mount for (2) MPS6U lights. Kit includes 90°, 67°, 46°, and 30° shrouds




MPSM6U-WIN46-12
Adhesive mount for (12) MPS6U lights. Kit includes 46° shrouds



MPSM6U-WIN90-12
Adhesive mount for (12) MPS6U lights. Kit includes 90° shrouds



MPSM12U-WIN
Adhesive mount for (1) MPS12U light. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM12U-WIN90-12
Adhesive mount for (12) MPS12U lights. Kit includes 90° shrouds

SPOILER MOUNT



MPSM6-TA21RS
Pair of spoiler brackets, each bracket holds (3) MPS6U lights, Chevrolet Tahoe, 2021-2025



MPSM6-TA21RS1
2-head MPS6U spoiler bracket kit, Chevrolet Tahoe/Suburban, 2021-2025




MPSM6-FPIU20RS1
Pair of spoiler brackets, each bracket holds, (1) MPS6U light, Ford Police Interceptor Utility, 2020-2025



MPSM6-FPIU20RS2
Pair of spoiler brackets, each bracket holds (3) MPS6U lights, Ford Police Interceptor Utility, 2020-2025



MPSM6-FPIU20RS3
Pair of spoiler brackets, each bracket holds (2) MPS6U lights, Ford Police Interceptor Utility, 2020-2025




MPSM12-FPIU20RS2
Pair of spoiler brackets, each bracket holds (3) MPS12U lights, Ford Police Interceptor Utility, 2020-2025



MPSM12-DU22RS
Pair of spoiler brackets, each bracket holds (3) MPS12U lights, Dodge Durango, 2022-2026



MPSM6-DU22RS
6-head MPS6U spoiler bracket kit, Dodge Durango, 2015-2026



MPSM6U-EXP22RS6
Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Ford Expedition, 2022-2024



MPS6U-SIL19RS6
Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Chevrolet Silverado 2019-2025



