FEDERAL SIGNAL

www.worktruck.fedsig.com

2645 Federal Signal Drive
University Park, IL 60484
(708) 534-3400

Customer Support:
(800) 824-0254
amberorders@fedsig.com

Service Department:
(800) 433-9132
empserviceinfo@fedsig.com

SCAN ME

Chevrolet®, Chrysler®, Dodge®, Ford®, General Motors®, International®, Jeep®, Nissan®, and Toyota®
are registered trademarks of their respective owners and are displayed only to show fit and compatibility,
not as indicators of source, origin, endorsement, sponsorship, or affiliation.

BOSS, Fisher, Littlite, Mylar, Sony, SnowDogg, 3M, Vortex, and Western are trademarks of its respective owners.

All others indicated are trademarks of Federal Signal Corporation.

©2022-2026 Federal Signal Corporation. All rights reserved worldwide.

M13000 | 0826

FEDERAL SIGNAL

WORK TRUCK

WARNING LIGHTS & ACCESSORIES



A GUIDE TO FEDERAL SIGNAL SAFETY SIGNALING SOLUTIONS

www.fedsig.com

RISK REDUCTION DURING ON-ROAD WORK TRUCK OPERATIONS

How Vehicle Warning Lights Reduce the Risk of Accidents in Work Zones

FEDERAL SIGNAL

Every second in a work zone matters to protect crews and motorists. Work truck operators face risk while performing essential tasks near traffic. Proper use of warning lights on work trucks provide clear, visual alerts that help drivers and pedestrians detect, recognize, and respond—reducing the risk of accidents and improving overall work zone safety.

It is all about safety in the moment—reducing accidents and making work zones safer.

WHAT ARE THE RISKS?

Risks to work truck operators and the public during an emergency response include:

Physical Risks
Risks of injury or death due to vehicle accidents

Financial Implications
Increased property damage, increased insurance premiums, and downtime for out of service work trucks

Legal Exposure
Potential for lawsuits

4 ELEMENTS OF RISK REDUCTION

An understanding of the factors associated with effective work truck warning light solutions that can minimize risks


Awareness of Human Factors
Humans process signals in three phases: detection, recognition, and response.


Proper Installation, Operation, and Maintenance
Ensuring the right system is installed, operated, and maintained for optimal safety.

Suitably Engineered Equipment
Choose and specify the products and technologies designed and best suited for your vehicle's specific vocation or application.

Knowledge of Industry Standards
Become familiar with the organizations that have established minimum performance standards for warning light devices.

HUMANS PROCESS SIGNALS IN THREE PHASES





Detection:
The driver's initial awareness of a signal

Recognition:
The driver determines what the signal is and what it means

Response:
The driver modifies behavior

Safety in this moment.
That's Federal Signal Strength.

Contact your Federal Signal Sales Representative today to learn how our solutions help your fleet reduce risk and save lives.

amberorders@fedsig.com
www.fedsig.com/worktruck

M098 | 122025

2012 Series Backup Alarm



- Dependable and economical backup alarm for variety of applications
- Multi-voltage,12/24 Vdc
- Steam-cleanable and pressure-washable
- Built-in universal mount bracket

SAE J994 | WARRANTY 3 YEARS

MODEL	DESCRIPTION
210238-W	87 dB(A), wired, SAE J994 Type D
210239-S	97 dB(A), stud terminal, SAE J994 Type C
210239-W	97 dB(A), wired, SAE J994 Type C
210240-S	102 dB(A), stud terminal, SAE J994 Type F
210240-W	102 dB(A), wired, SAE J994 Type F

Evacuator® Plus Backup Alarm



- Backup alarm with dual-tone function
- Universal mounting bracket included
- Multi-voltage, 12-48 Vdc

SAE J994 | WARRANTY 3 YEARS

MODEL	DESCRIPTION
210330SSG	87 dB(A), SAE J994 Type D
210331SSG	97 dB(A), SAE J994 Type C
210333SSG	107 dB(A), SAE J994 Type B
210343SSG	107 dB(A), SAE J994 Type B, mounting grommet
210335SSG	112 dB(A), SAE J994 Type A

ICON® Work Light

- High-powered work light available in round or square housing
- Multi-voltage, 12/24 Vdc
- Exterior adjustable vertical and horizontal mounts
- Stainless steel U-bracket and hardware included



IP67 | CE | CISPR 25 CLASS 3 | WARRANTY 3 YEARS

MODEL	DESCRIPTION
ICS3-SQ	3-inch, 1100 Lumen, Square
ICS35-SQ	3.5-inch, 1330 Lumen, Square
ICS43-SQ	4.3-inch, 2700 Lumen, Square

MODEL	DESCRIPTION
ICS3-RND	3-inch, 1100 Lumen, Round
ICS35-RND	3.5-inch, 1440 Lumen, Round
ICS43-RND	4.3-inch, 2200 Lumen, Round

ICON® Utility Bar

- High-powered multi-function utility light bar
- Available in 13", 21", and 24" lengths
- Multi-voltage, 12/24 Vdc
- Adjustable mounting brackets and stainless hardware included
- Diecast aluminum housing



SAE J595 CLASS 1 | CE | IP68 | IP69K | WARRANTY 3 YEARS

MODEL	DESCRIPTION
ICSPL13-AW	13-inch utility bar, White flood/spot, Amber warning, 4202 Lumen
ICSPL21-AW	21.5-inch utility bar, White flood/spot, Amber warning, 6475 Lumen
ICSPL24	24-inch work light bar, White flood/spot, 6650 Lumen


Allegiant® Max Serial




- Low-profile, linear light bar
- Available in 45", 53", 61", 70", and 80" lengths
- Single-, dual-, and tri-color capability
- SignalMaster™ directional warning
- Front flood, rear flood, left flood, right flood, takedowns, alley lights, work lights
- External power S/T/T (except 24 Vdc models) or OBDII-integrated S/T/T
- Exclusive bed light and alley ground lights
- Integrated sync and ambient light sensor
- Low-power mode
- (30) flash patterns
- 12 Vdc or 24 Vdc
- Easy service while installed on the roof top

SpectraLux. | Solaris. | ROC. | Convergence Network | FSJoin. | SAE J595 CLASS 1 | SAE J845 CLASS 1 | CCR TITLE 13 | IP65 | CONFIGURE ONLINE | WARRANTY 5 YEARS


MODEL	DESCRIPTION
	45-inch Model — Six-button Controller included
ALGT45JX-AMBR3H6C	(18) Amber/White light heads, hook mount, Clear domes, 25-ft CAT5 cable
	53-inch Models — Six-button Controller included
ALGT53JX-AMBR3F6C	(22) Amber/White light heads, flat mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-AMBR3H6C	(22) Amber/White light heads, hook mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-ABWF6	(22) Amber/Blue/White light heads, alley ground lights, bed light, flat mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-ABWH6	(22) Amber/Blue/White light heads, alley ground lights, bed light, hook mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-AGWF6	(22) Amber/Green/White light heads, alley ground lights, bed light, flat mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-AGWH6	(22) Amber/Green/White light heads, alley ground lights, bed light, hook mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-ARWF6	(22) Amber/Red/White light heads, alley ground lights, bed light, integrated sync, flat mount, Clear domes, 25-ft CAT5 cable
ALGT53JX-ARWH6	(22) Amber/Red/White light heads, alley ground lights, bed light, integrated sync, hook mount, Clear domes, 25-ft CAT5 cable




ALGT53JX-AMBR3F6C
ALGT53JX-AMBR3H6C



ALGT53JX-ARWF6
ALGT53JX-ARWH6



ALGT53JX-ABWF6
ALGT53JX-ABWH6



ALGT53JX-AGWF6
ALGT53JX-AGWH6


Reliant® S2



- Ultra low-profile, linear light bar
- Available in 48" length
- Single-, dual-, and tri-color capability
- SignalMaster™ directional warning
- Front flood, rear flood, left flood, right flood, takedowns, alley lights, and work lights
- OBDII-integrated S/T/T
- Low-power mode
- (28) flash patterns
- 12 Vdc

SpectraLux. Solaris. ROC. Convergence Network FSJoin. SAE J595 CLASS 1 SAE J845 CLASS 1 CCR TITLE 13 IP69K WARRANTY 5 YEARS

MODEL	DESCRIPTION
RLNT48J-ABWF4	(22) Amber/Blue/White light heads, flat mount, Clear domes, Four-button Controller
RLNT48J-ABWH4	(22) Amber/Blue/White light heads, hook mount, Clear domes, Four-button Controller
RLNT48J-ABRH4	(22) Amber/Blue/Red light heads, hook mount, Clear domes, Four-button Controller
RLNT48J-AGWH4	(22) Amber/Green/White light heads, hook mount, Clear domes, Four-button Controller
RLNT48J-AGWF4-STT	(20) Amber/Green/White light heads (2) Amber/Red/White light heads [OBDII-integrated S/T/T], flat mount, Clear domes, Four-button Controller
RLNT48J-ARWH4	(22) Amber/Red/White light heads, hook mount, Clear domes, Four-button Controller
RLNT48J-AMBR2F4	(6) Amber/White light heads, (16) Amber light heads, flat mount, Clear domes, Four-button Controller
RLNT48J-AMBR2H4	(6) Amber/White light heads, (16) Amber light heads, hook mount, Clear domes, Four-button Controller




RLNT48J-ABWF4
RLNT48J-ABWH4



RLNT48J-ABRH4




RLNT48J-AGWH4



RLNT48J-ARWH4



RLNT48J-AGWF4-STT



RLNT48J-AMBR2F4
RLNT48J-AMBR2H4


ICON® Snow Plow Headlight



- Snow plow headlights
- Amber turn signals; White LED beam and parking lights
- Features include low beam/high beam override, parking light, and front/side turn signal light
- Heated glass lens for automatic snow melting
- Multi-voltage, 12/24 Vdc
- Dual-post mount for added vibration resistance

FMVSS 108 SAE J222 SAE J588 SAE J914 WARRANTY 3 YEARS


MODEL	DESCRIPTION
ICSSPL-P	LED snow plow headlight, pair
Accessories	
SPLCABLE-1	Adapter cables, BOSS™, pair
SPLCABLE-2	Adapter cables, Buyers SnowDogg®, pair
SPLCABLE-3	Adapter cables, FISHER®/WESTERN®, pair
SPLCABLE-4	Adapter cables, Truck-Lite®, pair
Z861505033A	Single-post mount kit
Common Replacement Parts	
ICSSPL-P DRV	Replacement snow plow headlight, driver side
ICSSPL-P PASS	Replacement snow plow headlight, passenger side
Z861505034A	Replacement dual-post mount kit



SPLCABLE-1



SPLCABLE-2



SPLCABLE-3



SPLCABLE-4

NightSpire®



- Adjustable 50-degree floodlight to 4-degree spotlight
- 360-degree continuous rotation
- 130-degree unobstructed vertical tilt
- 204,000 Candela
- Wireless remote or hardwired controller; each with backlit buttons and (2) memory controls; pairs with up to (3) units
- Hard-coated dome for UV protection and environmental durability
- 12 Vdc
- Permanent and magnet mount bases available

IP69K | WARRANTY 5 YEARS

MODEL	DESCRIPTION
NS200-P-SB	Permanent/1-inch pipe mount, battery-powered Bluetooth wireless controller
NS200-DM-SB	Permanent/1-inch pipe mount, ignition-powered Bluetooth wireless controller, dash mount kit included
NS200-DM2-SB	Permanent/1-inch pipe mount, ignition-powered Bluetooth wireless controller and battery-powered Bluetooth wireless controller, dash mount kit included
NS200-M-SB	Magnet mount, accessory plug, battery-powered Bluetooth wireless controller
Accessories and Common Replacement Parts	
200NS-ADPKT	Adaptor mount kit
200NS-TALL	Branch guard for permanent mount models
HL15-NSBKT	Bracket kit for mounting to HighLighter® Elite
NSCTRL-1	Replacement battery-powered Bluetooth wireless controller
NSCTRL-BKT	Dash mount bracket for battery-powered Bluetooth wireless controller
Z843303374A	Replacement Clear dome
Z864901329	Bracket kit for mounting to Allegiant® Max/Integrity®



NightSpire mounted on Allegiant Max with Z864901329 bracket kit



NightSpire mounted on HighLighter Elite with HL15-NSBKT bracket kit



Ignition-powered wireless Bluetooth controller



Battery-powered wireless Bluetooth controller



Adaptor mount kit 200NS-ADPKT

Allegiant® LC



- Low-profile, linear light bar
- Available in 45", 53", and 61" lengths
- Single-color
- (23) flash patterns
- Low-power mode
- 12 Vdc
- Easy service while installed on the roof top

Solaris | ROC | SAE J595 CLASS 1 | SAE J845 CLASS 1 | CCR TITLE 13 | IP65 | WARRANTY 5 YEARS

MODEL	DESCRIPTION
	45-inch Models
ALGT45H-AMBR1FC	(18) Amber light heads, flat mount, Clear domes, 20-ft discrete cable
ALGT45H-AMBR1HC	(18) Amber light heads, hook mount, Clear domes, 20-ft discrete cable
	53-inch Models
ALGT53H-AMBR1FC	(22) Amber light heads, flat mount, Clear domes, 20-ft discrete cable
ALGT53H-AMBR1HC	(22) Amber light heads, hook mount, Clear domes, 20-ft discrete cable


FSDirect® Control Module



- 16-channel control module with OBDII integration capability
- (16) 2.5 A and (2) 0.5 A programmable output relays
- (8) programmable inputs available for chassis and body 12 Vdc signals
- (4) Convergence Network ports
- USB port to connect to Federal Signal Configuration Software, which allows for easy customization
- OBDII (On-Board Diagnostics) integration, with purchase of separate vehicle-specific OBD interface cable
- Housing features a connector holder – an installation benefit to hold the connector while wires are connected
- Programmable timer feature – senses ignition on/off and allows the selection of multiple timer settings configured in the software
- Multi-voltage, 12/24 Vdc

Convergence Network | FSJoin. | WARRANTY 5 YEARS

MODEL	DESCRIPTION
OBDMOD16	FSDirect Control Module, 16-channel, OBDII integration



Latitude™ SignalMaster™



- Directional warning stick light
- Available in 24", 32", and 48" lengths
- Single-color models
- 6- or 8-head models
- Left, right, and center-out directional signals; (1) flash pattern
- 12 Vdc
- SignalMaster™ economy controller included
- Wide range of external and internal mounting applications

Solaris. | ROC. | SAE J595 CLASS 1 | SAE J845 CLASS 2 | CCR TITLE 13 | WARRANTY 5 YEARS

MODEL	DESCRIPTION
SL6S-A	24-inch, (6) Amber light heads, SignalMaster economy controller, 30-ft cable
SL8S-A	32-inch, (8) Amber light heads, SignalMaster economy controller, 30-ft cable
SL8S-A-50	32-inch, (8) Amber light heads, SignalMaster economy controller, 50-ft cable
SL8S-A48	48-inch, (8) Amber light heads, SignalMaster economy controller, 30-ft cable
SL8S-A48-50	48-inch, (8) Amber light heads, SignalMaster economy controller, 50-ft cable

SIGNALMASTER BRACKETS



320310
Flush mount, vertical surface



320320
Double L-bracket for light bar or rear deck mount




320330
System mount



320340
Universal mount



320350
Foot adapter mount



CNSM-UM
Universal mount for CN SignalMaster or DynaFlare,internal/external use



SLB-001
Long L-bracket, CN SignalMaster, DynaFlare, or Latitude



SLB-002
Short L-bracket, CN SignalMaster, DynaFlare, or Latitude



SLB-FRD15ND
8-head bracket, CN SignalMaster or Latitude, no drill, Ford F-150 2015-2026, Lightning 2022-2025, and Super Duty 2017-2026



SLB-SIL19ND
8-head bracket, CN SignalMaster or Latitude, no drill, Chevrolet Silverado 2019-2026

8200S SignalMaster™



- Directional warning stick or arrow light
- Available in 33", 44", and 53" lengths
- Single-color models
- Stick light models available in 6- and 8-head versions; Arrow light models available in 10- and 16-head versions
- Left, right, and center-out directional signals; (14) flash patterns
- Low-power mode
- 12 Vdc
- Discrete extension cable or eight-button controller required, purchased separately

SAE J595 CLASS 1 | CCR TITLE 13 | WARRANTY 3 YEARS

MODEL	DESCRIPTION
	Stick Models
8200SM6-A	33-inch, (6) Amber light heads,18-in whip with weathertight connector
8200SM8-A-42	44-inch, (8) Amber light heads,18-in whip with weathertight connector
8200SM8-A-51	53-inch, (8) Amber light heads,18-in whip with weathertight connector
	Arrow Models
8200SMA10-A	33-inch, (10) Amber light heads (6-head stick, 2-head arrows),18-in whip with weathertight connector
8200SMA10-A-2	(2) 17-inch, (10) Amber light heads, split (3-head stick, 2-head arrows),18-in whip with weathertight connector
8200SMA16-A	53-inch, (16) Amber light heads (8-head stick, 4-head arrows),18-in whip with weathertight connector

MODEL	DESCRIPTION
Required Accessories (must order one with each light)	
SMCABLE-15	Discrete cable, 15-ft
SMCABLE-30	Discrete cable, 30-ft
SMCONTROL	Eight-button serial controller with 20-ft cable
Optional SMCONTROL Accessories	
SMEXTENSION-15	Extension cable, 15-ft
SMEXTENSION-30	Extension cable, 30-ft
SMCONTROL-BKT	Permanent mount bracket
Common Replacement Part	
8200SMZ-A	Replacement Amber light head
8200SMZ-SPCRN	Replacement 2-inch spacer
8200SMZ-SPCRW	Replacement 3-inch spacer

Notes

- Mounting brackets on page 22



SMCABLE-15



SMCONTROL



SMCONTROL-BKT



SMEXTENSION-15

VEHICLE	YEARS	OBDCABLE6-1 OBDCABLE25-1	OBDCABLE25-3	OBDCABLE8-4 OBDCABLE20-4	OBDCABLE4-5 OBDCABLE20-5	OBDCABLE8-6 OBDCABLE20-6	OBDCABLE6-DGCAN OBDCABLE25-DGCAN	J1939 CABLE OBDCABLE20-HD1
CHEVROLET								
Silverado 1500	2022-2026				•			
Silverado 2500	2023-2026				•			
Silverado 3500	2023-2026				•			
Silverado EV	2024-2026				•			
Colorado	2024-2026				•			
FORD								
F-150	2024-2026					•		
F-150 Lightning	2022-2026					•		
F-250*†	2023-2026						•	
F-350*†	2023-2026						•	
F-450*†	2023-2026						•	
F-550*†	2023-2026						•	
F-650*	2024							•
	2025	•						
Maverick	2024		•					
	2025-2026					•		
Ranger	2024-2026					•		
Transit**	2021-2026		•					
E-Transit	2022-2025			•				
GMC								
Canyon	2025-2026				•			
Sierra 1500	2023-2026				•			
Sierra 2500/3500	2024-2026				•			
RAM								
RAM 1500	2023-2026†						•	
RAM 2500/3500	2023-2026†						•	
RAM 4500/5500	2024-2026†						•	
MISCELLANEOUS								
Freightliner Custom FCCC MT55e	2024							•
Freightliner M2 Series	2024							•
Freightliner M2 106	2024-2026							•
Freightliner M2 112	2024-2026							•
Hino L6	2024-2025							•
International HX Series	2024-2025							•
International HV Series	2024-2025							•
International MV Series	2024-2025							•
Kenworth T280	2024-2025							•
Kenworth T380	2024-2025							•
Kenworth T480	2024-2025							•
Kenworth T880	2024-2025							•
Peterbilt 536 HC	2025							•

Notes

- *Models equipped with 4" or 8" entertainment screen only
- **Non-electric models without 12" SYNC 4 screen only
- †Cable must be hardwired. Contact Service Department for assistance

Convergence Network Controllers & Accessories



CONTROLLERS

- Compact size for versatile mounting; swivel-mount included
- (4), (6), or (9) multi-colored illuminated buttons
- Pre-programmed keypad configurations compatible with Convergence Network products
- Variety of legend stickers included for button labeling

RELAY MODULES

- 4-, 24-, or 32-channel expansion modules available
- EXPMOD24 and EXPMOD32 are potted to protect the electronics from harsh conditions
- Up to (4) EXPMOD4, EXPMOD24, or EXPMOD32 may be used in a system

Convergence Network | FSJoin | 3 YEARS

MODEL	DESCRIPTION
CNTRLR-4B	Four-button controller
CNTRLR-6B	Six-button controller with slide switch
CNTRLR-9B	Nine-button controller
EXPMOD4	Four-channel expansion module, (4) 15 A outputs (60 A max)
EXPMOD24	Twenty four-channel expansion module, (24) 2.5 A outputs (not to exceed 30 A)
EXPMOD32	Thirty-two channel expansion module, (32) 2.5 A outputs (not to exceed 40 A)
PFSPLTR-4	1-to-4 RJ45 connection splitter
PFSPLTR-12	1-to-12 RJ45 connection splitter
PFSYNC-1	On Scene Sync Module
Z858303641A	Serial interface module
Z17502984A-60	60-ft flexible CAT5 cable



EXPMOD4



EXPMOD24



EXPMOD32



PFSPLTR-12



PFSPLTR-4



PFSYNC-1



Z858303641A



Z17502984A-60

416300 Series



- Flush mount perimeter warning light
- Single- and tri-color models
- (19) flash patterns
- Multi-voltage, 12/24 Vdc

FSJoin | SAE J595 CLASS 1 | SAE J845 CLASS 2 | CCR TITLE 13 | IP67 | WARRANTY 5 YEARS

MODEL	DESCRIPTION
416303-A	Single-color, (3) Amber LEDs, Clear lens
416309-AGW	Tri-color, (9) Amber/Green/White LEDs, Clear lens
416309-BAW	Tri-color, (9) Blue/Amber/White LEDs, Clear lens
416309-RAW	Tri-color, (9) Red/Amber/White LEDs, Clear lens

416900 Series



- Low-profile perimeter warning light
- Single- and tri-color models
- (20) flash patterns
- Multi-voltage, 12/24 Vdc
- Black bezel for surface mounting or installed in a headlamp; Chrome or White bezel optional

FSJoin | SAE J595 CLASS 1 | SAE J845 CLASS 1 | IP67 | WARRANTY 5 YEARS

MODEL	DESCRIPTION
416912-A	Single-color, Amber LEDs, Clear lens
416918-AGW	Tri-color, Amber/Green/White LEDs, Clear lens
416918-BAW	Tri-color, Blue/Amber/White LEDs, Clear lens
416918-RAW	Tri-color, Red/Amber/White LEDs, Clear lens
Accessories	
416900BZ-C	Chrome bezel for (1) 416900 Series; -W (White); -B (Black)

MicroPulse® C Series



- Low-profile perimeter warning light
- Single- and dual-color models
- (27) single-color or (18) dual-color flash patterns
- 12 Vdc
- Black surface mount bezel and stud mount standard

SAE J595 CLASS 1 | SAE J845 CLASS 2 | CCR TITLE 13 | IP67 | 5 YEAR WARRANTY

MODEL	DESCRIPTION
MPSC-A	Single-color, (6) Amber LEDs, Clear lens
MPSC2-AW	Dual-color, (8) Amber/White LEDs, Clear lens

MODEL	DESCRIPTION
Accessories	
MPSMC-LBWN	L-bracket for (1) MicroPulse C Series
MPSMC-SBWN	Swivel mount bracket for (1) MicroPulse C Series

FireRay® LED



- Surface mount warning light available in four sizes
- Single- and dual-color models
- (13) flash patterns and up to (4) flashing modes
- 12 Vdc
- Black or Chrome bezel optional

FS Join. | SAE J595 CLASS 1 | SAE J845 CLASS 1 | CCR TITLE 13 | IP67 | 5 YEAR WARRANTY

MODEL	DESCRIPTION
	4x3 Models
FR4C2-AG	Dual-color, Amber/Green LEDs, Clear lens
FR4C2-AW	Dual-color, Amber/White LEDs, Clear lens
FR4C2-BA	Dual-color, Blue/Amber LEDs, Clear lens
	6x4 Models
FR6A1-A	Single-color, Amber LEDs, Amber lens
FR6C1-A	Single-color, Amber LEDs, Clear lens
FR6C2-AG	Dual-color, Amber/Green LEDs, Clear lens
FR6C2-AW	Dual-color, Amber/White LEDs, Clear lens
FR6C2-BA	Dual-color, Blue/Amber LEDs, Clear lens
FR6C2-RA	Dual-color, Red/Amber LEDs, Clear lens

MODEL	DESCRIPTION
Accessories	
FR4MB	4x3 trim bezel, Black
FR4MC	4x3 trim bezel, Chrome
FR6MB	6x4 trim bezel, Black
FR6MC	6x4 trim bezel, Chrome
FR6-SPACRKT	6x4 spacer kit, (2) 7-degree rubber mounting wedges


21" Allegiant®



- Low-profile, 21" mini-light bar
- Single- and dual-color capability
- Serial models available with front flood, rear flood, takedowns, alley lights, work lights, bed light, and cruise
- Low-power mode
- (28) flash patterns
- 12 Vdc
- Flat, low-profile permanent, magnet, and 4" riser mounting options

SpectraLux. | Solaris. | ROC. | Convergence Network | FS Join. | SAE J595 CLASS 1 | SAE J845 CLASS 1 | CCR TITLE 13 | IP65 | CONFIGURE ONLINE | 5 YEAR WARRANTY

MODEL	DESCRIPTION
	Discrete Model
ALGT21D-AMBR3BF	(10) Amber/White light heads, takedowns, work lights, bed lights, flat mount, Clear dome
	Serial Model
ALGT21J-AMBR3BP4	(10) Amber/White light heads, takedowns, work lights, bed lights, low-profile permanent mount, Clear dome, Four-button Controller



ALGT21D-AMBR3BF
ALGT21J-AMBR3BP4

SecureFit™ CHMSL Platform Series



- Drill-less mounting platform using the CHMSL (Center High-Mounted Stop Lamp)
- Level platform for mounting beacons and mini-light bars
- Powder-coated aluminum to prevent corrosion

3 YEAR WARRANTY

MODEL	DESCRIPTION
CHMSL18-FRD23	18-inch platform, Ford F-150 2015-2026, Ford F-250/350/450/550 2017-2026, Ford Maverick 2022-2026
CHMSL30-FRD23	30-inch platform, Ford F-150 2015-2026, Ford F-250/350/450/550 2017-2026

HighLighter® Elite



- Low-profile, 15" mini-light bar
- Single-, split-, and dual-color models
- Unique edge cruise lighting available in dual-color models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Permanent, suction-cup, and magnet mount options

SpectraLux. Solaris. ROC. FSLink. SAE J595 CLASS 1 SAE J845 CLASS 1 CCR TITLE 13 IP69K WARRANTY 5 YEARS

MODEL	DESCRIPTION
	Permanent Mount Models
HL15P-A	Permanent mount, single-color, Amber LEDs, Amber dome
HL15PC-A	Permanent mount, single-color, Amber LEDs, Clear dome; -B (Blue); -G (Green); -R (Red); -W (White)
HL15PC-SAW	Permanent mount, split-color, Amber/White LEDs, Clear dome; -SAB* (Amber/Blue); -SAG* (Amber/Green)
HL15PC-AW	Permanent mount, dual-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red); -BW (Blue/White); -RB (Red/Blue); -RW (Red/White)
	Magnet Mount, Accessory Plug with On/Off Switch Models
HL15M-A	Magnet mount, single-color, Amber LEDs, Amber dome
HL15U-A	Magnet mount, single-color, Amber LEDs, Amber dome, with permanent mount bracket included
HL15MC-A	Magnet mount, single-color, Amber LEDs, Clear dome; -B (Blue); -G (Green); -R (Red); -W (White)
HL15UC-A	Magnet mount, single-color, Amber LEDs, Clear dome, with permanent mount bracket included
HL15MC-SAW	Magnet mount, split-color, Amber/White LEDs, Clear dome; -SAB (Amber/Blue); -SAG (Amber/Green)
HL15UC-SAW	Magnet mount, split-color, Amber/White LEDs, Clear dome, with permanent mount bracket included; -SAG (Amber/Green)
HL15MC-AW	Magnet mount, dual-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red); -BW (Blue/White); -RB (Red/Blue); -RW (Red/White)
HL15UC-AW	Magnet mount, dual-color, Amber/White LEDs, Clear dome, with permanent mount bracket included; -AG (Amber/Green)
	Suction-Cup Magnet Mount, Accessory Plug with On/Off Switch Models
HL15S-A	Suction-cup magnet mount, single-color, Amber LEDs, Amber dome
HL15SC-A	Suction-cup magnet mount, single-color, Amber LEDs, Clear dome; -B (Blue); -G (Green); -R (Red); -W (White)
HL15SC-SAW	Suction-cup magnet mount, split-color, Clear dome; -SAB (Amber/Blue); -SAG (Amber/Green)
HL15SC-AW	Suction-cup magnet mount, dual-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red); -BW (Blue/White); -RB (Red/Blue); -RW (Red/White)
Accessories	
210883SSG	Kit, self-leveling bracket
454217	Kit, riser mount, 2.1-inch lift
HL15-HDKIT	Kit, tow wing light mount, 10-ft cable
HL15-MAGMT	Kit, magnet mount, accessory plug
HL15-NSBKT	Kit, NightSpire® mount
HL15-SCTMT	Kit, suction-cup magnet mount, accessory plug



End Cruise (single- and split-color models)



Edge Cruise (dual-color models)

SURFACE MOUNT ANGLED BEZEL



MPSUMA12-1

40° angled bezel for (1) MPS12U light, Chrome



MPSUMA12-3

40° angled bezel for (1) MPS12U light, Black

DRILL-LESS MOUNT



MPSM3U-RAM24DTL

Pair of drill-less taillight brackets for horizontal orientation, each bracket holds (2) MPS3U light, RAM, 2024-2026



MPSM3U-RAM24DTL2

Pair of drill-less taillight brackets for horizontal orientation, each bracket holds (2) MPS3U light, RAM, 2024-2026



MPSM3U-FRD25DTL

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (2) MPS3U lights, Ford F-250/350/450, 2023-2026



MPSM3U-FRD25DTL2

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (4) MPS3U lights, Ford F-250/350/450, 2024-2026



MPSM12U-FRD25DTL

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS6U/MPS12U light, Ford F-150, 2023-2026 (will not fit Lightning)



MPSM12U-FRD25DTL2

Pair of drill-less taillight brackets for vertical orientation, each bracket holds (1) MPS6U/MPS12U light and (1) MPS3U/MPS6U light, Ford F-150, 2023-2026 (will not fit Lightning)



MPSM6U-WIN

Adhesive mount for (1) MPS6U light. Kit includes 90°, 67°, 46°, and 30° shrouds




MPSM6U-WIN2

Adhesive mount for (2) MPS6U light. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM6U-WIN46-12

Adhesive mount for (12) MPS6U lights. Kit includes 46° shrouds



MPSM6U-WIN90-12

Adhesive mount for (12) MPS6U lights. Kit includes 90° shrouds




MPSM12U-WIN

Adhesive mount for (1) MPS12U light. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM12U-WIN2

Adhesive mount for (2) MPS12U lights. Kit includes 90°, 67°, 46°, and 30° shrouds



MPSM12U-WIN90-12

Adhesive mount for (12) MPS12U lights. Kit includes 90° shrouds



MPSM6U-HOOD

Drill-less hood mount bracket for (1) MPS6U light

RUNNING BOARD MOUNT



MPSM6-FRD15RB

Kit of (6) lower running board brackets, each bracket holds (1) MPS6U light, Ford F-150/Ford F-150 Responder, 2015-2026 (will work on XL and XLT trim levels with OEM running boards)



MPSM6U-FD15UPRB

Kit of (6) upper running board brackets, each bracket holds (1) MPS6U light, Ford F-150/Ford F-150 Responder, 2015-2026 (will work on XL and XLT trim levels with OEM running boards)

GRILLE MOUNT



MPSM6-GRL1

Pair of grille brackets, each bracket holds (1) MPS3U/MPS6U light, fits vehicles with a mesh grille

SPOILER MOUNT



MPS6U-SIL19RS6

Rear spoiler bracket kit, (3) MPS6U lights on each side of spoiler, Chevrolet Silverado 2019-2026

UNIVERSAL MOUNT



MPSM3-DL

L-bracket for (2) MPS3U lights, side-by-side



MPSM6-DL

L-bracket for (2) MPS6U lights, side-by-side



MPSM12-DL

L-bracket for (2) MPS12U lights, side-by-side



MPSM3-DS

L-bracket for (2) MPS3U lights, stacked



MPSM6-DS

L-bracket for (2) MPS6U lights, stacked



MPSM12-DS

L-bracket for (2) MPS12U lights, stacked



MPSM3-LB

L-bracket for (1) MPS3U light



MPSM6-LB

L-bracket for (1) MPS6U light



MPSM12-LB

L-bracket for (1) MPS12U light



MPSM3-SB

Swivel mount bracket for (1) MPS3U light



MPSM6-SB

Swivel mount bracket for (1) MPS6U light



MPSM12-SB

Swivel mount bracket for (1) MPS12U light

PYLON MOUNT



MPSM3U-PLN

Pylon mount for (1) MPS3U light



MPSM6U-PLN

Pylon mount for (1) MPS6U light



MPSM12U-PLN

Pylon mount for (1) MPS12U light

WEDGE KIT



MPSM3UC-SPACRKT

Kit of (4) 5° rubber mounting wedges for use with MPS3U lights

WEDGE KIT



MPSM6U-SPACRKT

Kit of (4) 5° rubber mounting wedges for use with MPS6U lights



MPSM12U-SPACRKT

Kit of (4) 5° rubber mounting wedges for use with MPS12U lights

GROMMET MOUNT



MPSM3U-RND2

4-inch round mounting plate kit for (2) MPS3U, with rubber grommet



330510

6-inch oval mounting plate kit for (1) MPS12U, with rubber grommet (light sold separately)

HighLighter® Micro



- Low-profile, 10" mini-light bar
- Single- and split-color models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Permanent, suction-cup, and magnet mount options

Solaris. ROC. SAE J595 CLASS 1 SAE J845 CLASS 1 CCR TITLE 13 IP69K WARRANTY 5 YEARS

MODEL	DESCRIPTION
	Permanent Mount Models
HL10P-A	Permanent mount, single-color, Amber LEDs, Amber dome
HL10PC-A	Permanent mount, single-color, Amber LEDs, Clear dome; -B (Blue); -G (Green); -R (Red); -W (White)
HL10PC-AW	Permanent mount, split-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red); -RB (Red/Blue)
	Magnet Mount, Accessory Plug with On/Off Switch Models
HL10M-A	Magnet mount, single-color, Amber LEDs, Amber dome
HL10MC-A	Magnet mount, single-color, Amber LEDs, Clear dome; -B (Blue); -G (Green); -R (Red); -W (White)
HL10MC-AW	Magnet mount, split-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red)
HL10U-A	Magnet mount, single-color, Amber LEDs, Amber dome, with permanent mount bracket included
HL10UC-A	Magnet mount, single-color, Amber LEDs, Clear dome, with permanent mount bracket included
HL10UC-AW	Magnet mount, split-color, Amber/White LEDs, Clear dome, with permanent mount bracket included; -AG* (Amber/Green)
	Suction-Cup Magnet Mount, Accessory Plug with On/Off Switch Models
HL10S-A	Suction-cup magnet mount, single-color, Amber LEDs, Amber dome
HL10SC-A	Suction-cup magnet mount, single-color, Amber LEDs, Clear dome; -B (Blue); -G (Green); -R (Red); -W (White)
HL10SC-AW	Suction-cup magnet mount, split-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red)
Accessories	
BKT-SL	Kit, self-leveling bracket
HL10-HDKIT	Kit, tow wing light mount, 10-ft cable
HL10-MAGMNT	Kit, magnet mount, accessory plug
HL10-SCTMNT	Kit, suction-cup magnet mount, accessory plug

Spire® 100



- Versatile warning beacon for a variety of vehicle applications
- Short and tall domes available
- Single-color models
- (25) flash patterns with Power Select™ feature to change patterns
- Multi-voltage, 12/24 Vdc
- Built-in, industry-standard weathertight cable connection
- Variety of mounting solutions available; including permanent/1" pipe mounts, suction cup, and magnet mounts

SAE J845 CLASS 1 | IP69K | WARRANTY 5 YEARS

MODEL	DESCRIPTION
	Short Dome Models
100SC-A	1-inch pipe mount, short, Amber dome; -B (Blue); -G (Green); -R (Red); -W (White)
100SP-A	Polycarbonate permanent/1-inch pipe mount, short, Amber dome; -B (Blue); -G (Green); -R (Red); -W (White)
100SD-A	Diecast permanent/1-inch pipe mount, short, Amber dome
100SDU-A	Diecast permanent/1-inch pipe mount, short, Amber dome, branch guard, dust cover, blackout disk
100SM-A	Magnet mount, accessory plug, short, Amber dome
100SS-A	Suction-cup magnet mount, accessory plug, short, Amber dome; -B (Blue); -G (Green)
100SR-A	Rubber mount, short, Amber dome
	Tall Dome Models
100TC-A	1-inch pipe mount, tall, Amber dome; -B (Blue); -G (Green); -R (Red); -W (White)
100TP-A	Polycarbonate permanent/1-inch pipe mount, tall, Amber dome; -B (Blue); -G (Green); -R (Red); -W (White)
100TD-A	Diecast permanent/1-inch pipe mount, tall, Amber dome
100TM-A	Magnet mount, accessory plug, tall, Amber dome; -G (Green)
100TS-A	Suction-cup magnet mount, accessory plug, tall, Amber dome
100TR-A	Rubber mount, tall, Amber dome

Spire® Accessories

MODEL	DESCRIPTION
200B-SHORT	Branch guard, short
200B-TALL	Branch guard, tall
200DC-SHORT	Dust cover, short
200DC-TALL	Dust cover, tall
BKT-SL	Self-leveling bracket
FSLINKPR-1	FSLink® Programmer (Spire 200 only)

MicroPulse® Wide Angle Pro



- 180-degree wide angle perimeter light
- Single- and tri-color models
- Integrated waterproof connector on all models
- Downward projected White light
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Wide range of external mounting applications
- Black bezel standard; Chrome or White bezel optional

SpectraLux. | Solaris. | FSJoin. | FSLink. | SAE J595 CLASS 1 | SAE J845 CLASS 1 | CCR TITLE 13 | IP67 | WARRANTY 5 YEARS

MODEL	DESCRIPTION
MPSWP-A	Single-color, (6) Amber LEDs, (2) downward projected White LEDs, Clear lens
MPSWP-AGW	Tri-color, (18) Amber/Green/White LEDs, (2) downward projected White LEDs, Clear lens
MPSWP-BAW	Tri-color, (18) Blue/Amber/White LEDs, (2) downward projected White LEDs, Clear lens
MPSWP-RAW	Tri-color, (18) Red/Amber/White LEDs, (2) downward projected White LEDs, Clear lens
MPSWP-RBA	Tri-color, (18) Red/Blue/Amber LEDs, (2) downward projected White LEDs, Clear lens

MODEL	DESCRIPTION
Accessories	
MPSUMB6-1	Chrome bezel for (1) MicroPulse® Wide Angle Pro; -2 (White); -3 (Black)

MICROPULSE WIDE ANGLE BRACKETS AND KITS



330508

6-inch oval mounting plate kit for (1) MPSWP, with rubber grommet




MPSMW9-LB

L-bracket for (1) MPSWP




MPSMW9-SPACRKT

Kit for (4) 5° rubber mounting wedges for use with MPSWP light




MPSMW9-SPACRKT2

Pair of 22° rubber mounting wedges for MPSWP, Ford F-150, RAM 2500, 2023-2026




MPSMW9-FRD21MIR

Pair of side mirror brackets, each bracket holds (1) MPSWP light, Ford F-150 (non-towing mirrors)/Lightning, 2021-2026



MPSMW9S-UNIVMIR

Pair of side mirror brackets, each bracket holds (1) MPSWP light, RAM 1500 (5TH GEN) 2023-2026, RAM 1500 Classic (4TH GEN) 2023-2024, Ford F-250/F-350 (towing mirrors) 2023-2026



MPSMW9-SHD

Shroud for (1) MPSWP light, multi-vehicle applications



MPSMW9-SIL19MIR

Pair of side mirror brackets, each bracket holds (1) MPSWP light, Chevrolet Silverado 1500, 2019-2026

MicroPulse® Ultra



- Ultra low-profile perimeter warning light available in three sizes
- Single-, dual-, and tri-color models
- Integrated waterproof connector on all models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Wide range of external and internal mounting applications
- Black bezel standard; Chrome or White bezel optional

SpectraLux. FSJoin. FSLink. SAE J595 CLASS 1 SAE J845 CLASS 1 CCR TITLE 13 IP67 WARRANTY 5 YEARS

MODEL	DESCRIPTION
	MicroPulse® Ultra 3
MPS31U-A*	Single-color, (3) Amber LEDs
MPS32U-AG	Dual-color, (6) Amber/Green LEDs
MPS32U-AW	Dual-color, (6) Amber/White LEDs
MPS32U-BA	Dual-color, (6) Blue/Amber LEDs
MPS32U-RA	Dual-color, (6) Red/Amber LEDs
	MicroPulse Ultra 6
MPS61U-A	Single-color, (6) Amber LEDs
MPS62U-AG	Dual-color, (12) Amber/Green LEDs
MPS62U-AW	Dual-color, (12) Amber/White LEDs
MPS62U-BA	Dual-color, (12) Blue/Amber LEDs
MPS63U-AGW	Tri-color, (18) Amber/Green/White LEDs
MPS63U-BAW	Tri-color, (18) Blue/Amber/White LEDs
MPS63U-RAW	Tri-color, (18) Red/Amber/White LEDs

Notes

- Mounting brackets on pages 17-18

MODEL	DESCRIPTION
	MicroPulse Ultra 12
MPS121U-A	Single-color, (12) Amber LEDs
MPS122U-AW	Dual-color, (24) Amber/White LEDs
MPS122U-BA	Dual-color, (24) Blue/Amber LEDs
MPS123U-AGW	Tri-color, (36) Amber/Green/White LEDs
MPS123U-BAW	Tri-color, (36) Blue/Amber/White LEDs
MPS123U-RAW	Tri-color, (36) Red/Amber/White LEDs
	Accessories
FSLINKPR-1	FSLink® Programmer
MPSUMB3-1	Chrome bezel for (1) MicroPulse Ultra 3; -2 (White); -3 (Black)
MPSUMB6-1	Chrome bezel for (1) MicroPulse Ultra 6; -2 (White); -3 (Black)
MPSUMB12-1	Chrome bezel for (1) MicroPulse Ultra 12; -2 (White); -3 (Black)
MPSUMA12-1	Chrome 40° angled bezel for (1) MPS12U light; -3 (Black)

Waterproof Connector Accessories for MicroPulse Ultra & MicroPulse Wide Angle Pro

MODEL	DESCRIPTION
WPCABLE-8	Extension cable for (1) MicroPulse with waterproof connector, 8-ft
WPCABLE-15	Extension cable for (1) MicroPulse with waterproof connector, 15-ft
WPCABLE-30	Extension cable for (1) MicroPulse with waterproof connector, 30-ft
WPCABLE2-25	Extension harness, 25-ft, (2) 30-inch segments from main harness for MicroPulse with waterproof connector
WPCABLE4-25	Extension harness, 25-ft, (4) 30-inch segments from main harness for MicroPulse with waterproof connector
Z17502542A	Extension harness, 12.5-ft, (3) 6-inch/18-inch/30-inch segments from main harness for MicroPulse with waterproof connector
WPCONKIT-20	Mating connectors, bulk pack, 20
WPCONKIT-200	Mating connectors, bulk pack, 200

Spire® 200



- Versatile warning beacon for a variety of vehicle applications
- Short and tall domes available
- Single- and dual-color models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Variety of mounting solutions available, including permanent/1" pipe mounts, suction cup, and magnet mounts

SpectraLux. FSLink. SAE J845 CLASS 1 IP69K WARRANTY 5 YEARS

MODEL	DESCRIPTION
	Short Dome Models
200SC-A	1-inch pipe mount, single-color, short, Amber LEDs, Amber dome; -B (Blue); -G (Green); -R (Red); -W (White)
220SC-AW	1-inch pipe mount, dual-color, short, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red)
200SP-A	Polycarbonate permanent/1-inch pipe mount, single-color, short, Amber LEDs, Amber dome
220SP-AW	Polycarbonate permanent/1-inch pipe mount, dual-color, short, Amber/White LEDs, Clear dome; -AG (Amber/Green)
200SD-A	Diecast permanent/1-inch pipe mount, single-color, short, Amber LEDs, Amber dome; -R (Red)
200SDU-A	Diecast permanent/1-inch pipe mount, single-color, short, Amber LEDs, Amber dome, branch guard, dust cover, blackout disk
220SD-AW	Diecast permanent/1-inch pipe mount, dual-color, short, Amber/White LEDs, Clear dome; -AG (Amber/Green)
200SM-A	Magnet mount, accessory plug, single-color, short, Amber LEDs, Amber dome
	Tall Dome Models
200TC-A	1-inch pipe mount, single-color, tall, Amber LEDs, Amber dome; -B (Blue); -G (Green); -R (Red); -W (White)
220TC-AW	1-inch pipe mount, dual-color, tall, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green); -AR (Amber/Red)
200TP-A	Polycarbonate permanent/1-inch pipe mount, single-color, tall, Amber LEDs, Amber dome
220TP-AW	Polycarbonate permanent/1-inch pipe mount, dual-color, tall, Amber/White LEDs, Clear dome; -AG (Amber/Green)
200TD-A	Diecast permanent/1-inch pipe mount, single-color, tall, Amber LEDs, Amber dome; -G (Green)
220TD-AW	Diecast permanent/1-inch pipe mount, dual-color, tall, Amber/White LEDs, Clear dome; -AG (Amber/Green)
200TM-A	Magnet mount, accessory plug, single-color, tall, Amber LEDs, Amber dome



Pipe Mount Base



Polycarbonate Base



Diecast Base



Magnet Base



Suction-Cup Magnet Base



Rubber Base (Spire 100 only)

Pro LED Beacon

- Versatile warning beacon for a variety of applications
- Short and tall domes available
- Single- and dual-color models
- (25) flash patterns
- Multi-voltage, 12/24 Vdc
- Built-in permanent/1" pipe mount aluminum diecast base



SpectraLux. | Solaris. | FSLink. | SAE J845 CLASS 1 | CCR TITLE 13 | IP69K | WARRANTY 5 YEARS

MODEL	DESCRIPTION
	Short Dome Models
300SMP-A-SB	Single-color, Amber LEDs, Amber dome
300SMPC-A-SB	Single-color, Amber LEDs, Clear dome
320SMP-AW-SB	Dual-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green)
	Tall Dome Models
300TMP-A-SB	Single-color, Amber LEDs, Amber dome
300TMPC-A-SB	Single-color, Amber LEDs, Clear dome
320TMP-AW-SB	Dual-color, Amber/White LEDs, Clear dome; -AB (Amber/Blue); -AG (Amber/Green)
Accessories	
300B-SHORT	Branch guard, short
300B-TALL	Branch guard, tall
300BKT-LB	Shelf mount
FSLINKPR-1	FSLink® Programmer

SLR Beacon

- Unique beacon with rotating LED reflector
- Single-color models
- (3) rotating speeds: 75/90/120 RPM
- Multi-voltage, 12/24 Vdc
- Built-in permanent/1" pipe mount aluminum diecast base



Solaris. | SLR. | SAE J845 CLASS 1 | CCR TITLE 13 | WARRANTY 5 YEARS

MODEL	DESCRIPTION
262650-02	Amber LEDs, Amber dome
262650-25	Amber LEDs, Clear dome

DynaFlare®

- Low-profile, perimeter light
- Single-, dual-, and tri-color capability
- Lights can be programmed to flash, steady override, dim, and cruise
- Fully sealed with patent-pending, optically clear potting material
- Suitable for exterior and interior mounting locations
- Multi-voltage, 12/24 Vdc



SpectraLux. | Solaris. | ROC. | Convergence Network | FSJoin. | SAE J595 CLASS 1 | SAE J845 CLASS 1 | CCR TITLE 13 | IP68 | IP69K | WARRANTY 5 YEARS

MODEL	DESCRIPTION
	6-foot Models
DR6-AGW	(1) Amber/Green/White LEDs, Clear lens
DR6-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR6-RAW	(1) Red/Amber/White LEDs, Clear lens
DR6-RBA	(1) Red/Blue/Amber LEDs, Clear lens
	5-foot Models
DR5-AGW	(1) Amber/Green/White LEDs, Clear lens
DR5-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR5-RAW	(1) Red/Amber/White LEDs, Clear lens
DR5-RBA	(1) Red/Blue/Amber LEDs, Clear lens
	4-foot Models
DR4-AGW	(1) Amber/Green/White LEDs, Clear lens
DR4-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR4-RAW	(1) Red/Amber/White LEDs, Clear lens
DR4-RBA	(1) Red/Blue/Amber LEDs, Clear lens
	3-foot Models
DR3-AGW	(1) Amber/Green/White LEDs, Clear lens
DR3-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR3-RAW	(1) Red/Amber/White LEDs, Clear lens
DR3-RBA	(1) Red/Blue/Amber LEDs, Clear lens
	2-foot Models
DR2-AGW	(1) Amber/Green/White LEDs, Clear lens
DR2-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR2-RAW	(1) Red/Amber/White LEDs, Clear lens
DR2-RBA	(1) Red/Blue/Amber LEDs, Clear lens

MODEL	DESCRIPTION
	1-foot Models
DR1-AGW	(1) Amber/Green/White LEDs, Clear lens
DR1-BAW	(1) Blue/Amber/White LEDs, Clear lens
DR1-RAW	(1) Red/Amber/White LEDs, Clear lens
DR1-RBA	(1) Red/Blue/Amber LEDs, Clear lens
Accessories	
DR6BKT-RB-FRD15B	(1) 6-foot running board mounting bracket, 2015-2026 Ford F-150
DR6BKT-RB-SIL19B	(1) 6-foot running board mounting bracket, 2019-2026 Chevrolet Silverado
DRBKT-RB-UNIV	(1) Running board mounting bracket, universal
DRBKT-RW-FRD26*	(1) 3-foot rear window mounting bracket, 2021-2026 Ford F-150
DRBKT-RW-SIL23*	(1) 3-foot rear window mounting bracket, 2023-2026 Chevrolet Silverado
DRBKT-TB-FRD21**	Pair of bed rail brackets, each bracket holds (1) DynaFlare, 2021-2026 Ford F-150
DRBKT-TB-SIL23**	Pair of bed rail brackets, each bracket holds (1) DynaFlare, 2023-2026 Chevrolet Silverado

Notes

- *Not compatible with rear window slide options
- **Not compatible with truck bed cover
- Additional mounting brackets on page 22